



MADMANS CREEK FLORA RESERVE

NO. 42

SITE SPECIFIC WORKING PLAN

Table of Contents

1. Details of the Reserve	3
1.1 Location	3
1.2 Key Attributes of the Reserve	3
1.3 General Description	3
1.4 History	4
1.5 Current Usage	5
2. System of Management	5
2.1 Objectives of Management	5
2.2 Management Strategies	5
2.3 Management Responsibility	7
2.4 Monitoring, Reporting and Review	7
3. List of Appendices	7
Appendix 1 – Locality Map	8
Appendix 2 – Topographic & Forest Type Map	9
Appendix 3 – Flora Species List	10
Appendix 4 – Fauna Species List	16
Appendix 5 – Approval and Amendments from previous version	20

This site-specific working describes the important values of an individual flora reserve and identifies site-specific priorities for management. The plan is to be read in conjunction with the Flora Reserve Plan: Background and General Management document, which identifies Forestry Corporation's broad objectives and strategies for managing flora reserves. These two documents together form the flora reserve working plan in line with the requirements of section 25 of the *Forestry Act 2012*.

1. DETAILS OF THE RESERVE

1.1 LOCATION

Madmans Creek reserve is situated towards the northeastern corner in Conglomerate State Forest. The reserve is 11 kilometres northwest of the town of Woolgoolga and is 13 kilometres east of the town of Glenreagh. Madmans Creek itself is a tributary of the Corindi River, which drains into the Pacific Ocean near the village of Red Rock. See Locality Map in Appendix 1.

1.2 KEY ATTRIBUTES OF THE RESERVE

Under the *Forestry Act 2012*, flora reserves are set apart for the preservation of native flora.

The reserve possesses the following identified attributes that are to be protected:

- » Lowland Rainforest, a threatened ecological community
- » unique vegetation within the reserve
- » areas of cultural significance
- » representative examples of forest ecosystems in the area.

1.3 GENERAL DESCRIPTION

Area

The reserve is approximately 100 hectares in size. Comprising of Madmans Creek and extending northwards to the Conglomerate State Forest boundary. The north of the reserve is adjacent to private property.

Topography

Altitudes in the reserve range from about 30 to 180 metres above sea level. Refer to Appendix 2 for topographic map.

Geology and Soils

The soils of the reserve are red and yellow podsolics derived from Cretaceous conglomerate of the Corindi Conglomerate Series. Petrified wood also occurs abundantly in the surface soil. This wood is of the Blaxland Fossil Wood Conglomerate Member, which has been preserved by haematite replacement. Both soil types are from the Triassic period.

Climate

Warm temperate, with a peak rainfall during the summer/autumn period.

Flora Reserve Plan: Madmans Creek Site Specific Working Plan Document ID: D21/14303	Version No.: 2	Page 3 of 20
	Issue date: 6/9/23	Review date: 6/9/33

WARNING: a printed copy of this document may be uncontrolled. Please verify this is the latest version prior to use.

Vegetation/Flora and Fauna

The special attractions of the reserve are the variety of forest types present and the existence of some unusual species within these types. The reserve contains the Threatened Ecological Community, lowland rainforest, which is classified as mixed rainforest, as well as wet sclerophyll forest (containing the forest types Flooded Gum, Blue GumGully, and Moist Hardwoods) and dry sclerophyll forest (containing Blackbutt, Blackbutt / Needlebark Stringybark and Ironbark / Spotted Gum). Appendix 2 Map shows the various Forest Types and their locations within the Reserve.

The area of rainforest is small. There is a form of dry rainforest, which is more typical of the semi-monsoonal areas further north. Species present in the rainforest of the reserve and normally only expected further north, include Bitterbark (*Petalostigma quadriloculare*), Silver Aspen (*Acronychia wilcoxiana*), Grey Handlewood (*Aphananthe philippinensis*) and Quinine bush (*Alstonia constricta*).

Several unusual species occur in the Semi-moist Hardwoods type. One is the Twisted Burrawong (*Macrozamia fawcettii*), which has isolated occurrences in the sandstone country from the Richmond to the Macleay, other are Kurrajong (*Brachychiton populneus*) and the Small Leaved Lilly Pilly (*Acmena smithii* var. *minor*), both unexpectedly found in this area.

Two interesting shrubs are found in the Gully type and its transitions. One is the Fern-leaved Boronia (*Boronia mollis*), the tallest of the boronias, and apart from Conglomerate State Forest known only from occasional occurrences on Hawkesbury sandstone. The other is the Tall Westringia (*Westringia amabilis*), which has a restricted distribution in other areas.

Appendix 3 and 4 outline a list of flora and fauna species known to occur within the Reserve.

1.4 HISTORY

Aboriginal History and Cultural Values

Madmans Creek Flora Reserve is situated within the traditional lands of the Gumbaynggir people and there are a number of Aboriginal cultural heritage sites located within the surrounding area. The area is part of a cultural landscape, used for everyday and ceremonial activities including seasonal food and resource gathering in association with Madmans Creek, also as a travel route from the mountains to the coast. Tangible aspects of these activities are evident as walking tracks and scar trees, the remains of camp sites with stone tools (isolated stone artefact and artefact scatters) as well as sacred features and places created at the beginning of time.

Post European Settlement

Harvesting

In the early 1900's, there was an operating sawmill nearby in Bark Hut Creek. Part of the rainforest has been logged, most likely for Hoop Pine (*Araucaria cunninghamii*), but otherwise appears to be undisturbed. In the early 1960's part of the reserve was logged for poles and sleepers.

Grazing

Some unauthorized grazing has occurred within the reserve.

Fire

Fire has been part of the Australian landscape for at least the last 60,000 years and most forests have experienced fire multiple times over many centuries. As the area adjoins private property, the drier sections of the reserve have been control burned regularly with wildfires occurring in the north-west portion during 2000 and another in the eastern section during 2003.

Flora Reserve Plan: Madmans Creek Site Specific Working Plan Document ID: D21/14303	Version No.: 2 Issue date: 6/9/23	Page 4 of 20 Review date: 6/9/33
--	--------------------------------------	-------------------------------------

WARNING: a printed copy of this document may be uncontrolled. Please verify this is the latest version prior to use.

Establishment of Reserve

The area was gazetted as Madmans Creek Flora Reserve no. 80001 on 31st October 1980. In a general renumbering of Flora Reserves in the Government Gazette of 24th July 1987, the reserve became Madmans Creek Flora Reserve No. 42.

1.5 CURRENT USAGE

The reserve receives limited recreational usage, primarily by visitors driving through the reserve on Murphys Road. No recreational facilities are provided at the reserve and there is no intention to develop any facilities.

2. SYSTEM OF MANAGEMENT

2.1 OBJECTIVES OF MANAGEMENT

Under the *Forestry Act 2012*, flora reserves are set apart for the preservation of native flora. The main objective of Madmans Creek Flora Reserve is to:

- » enhance the ecological quality of the lowland Rainforest, a threatened ecological community
- » protect the unique vegetation within the reserve
- » protect Aboriginal cultural heritage sites and cultural values
- » protect representative examples of forest ecosystems in the area.

2.2 MANAGEMENT STRATEGIES

The broad management strategies and related actions to preserve native flora and improve the value and extent of habitat in State forest flora reserves are detailed in the Flora Reserve Management Plan: Background and General Management document, which is to be read in conjunction with this plan. Specific additional management strategies applied in this flora reserve may include:

- » Property maintenance, through:
 - establishment and maintenance of appropriate fences, gates and signs
 - removal of unnecessary fencing
 - maintenance of roads and trails
 - restricting visitor use to walking trails for educational activities.
- » Conservation and improvement of habitat, through:
 - maintenance of native vegetation, which may include manipulation by mechanical means for habitat improvement
 - regeneration of any cleared or degraded land, through plantings and natural recruitment
 - weed control
 - removal of rubbish
 - management of human disturbance, including harvesting and other forest product operations
 - retention of dead timber and other habitat resources

Flora Reserve Plan: Madmans Creek Site Specific Working Plan Document ID: D21/14303	Version No.: 2 Issue date: 6/9/23	Page 5 of 20 Review date: 6/9/33
--	--------------------------------------	-------------------------------------

WARNING: a printed copy of this document may be uncontrolled. Please verify this is the latest version prior to use.

- fire management, including cultural burning in a manner consistent with maintaining the health of forest ecosystems and in consultation with local Aboriginal communities.
- » Pest animal control.

Cultural Values

Explore opportunities for Aboriginal community involvement in managing the flora reserve.

Weeds

The vegetation within the flora reserve is in very healthy state with no obvious weeds present. As far as reasonably practicable, exotic species will be controlled, as detailed in section 2.4.

Trail maintenance

Maintenance of roads and trails is important to enable access to the forest for forest management, firefighting, tourism and recreation. Poorly maintained roads can also transport significant levels of sediment, increasing the turbidity of water within creeks. This consequently reduces habitat quality and aquatic biodiversity and can take significant periods of time to recover.

Trails will be maintained as detailed in section 2.4.

Permitted activities

Under the Forest Management Zoning (FMZ) system, Madmans Creek Flora Reserve is zoned FMZ 1 and therefore contributes to the dedicated reserve system in the Upper North East Region. Management will be consistent with the requirements of JANIS dedicated reserves and the area cannot be revoked except by an act of Parliament.

The latest operational guide detailing activities not permitted in FMZ1 is published on the Forestry Corporation website.

The following activities may be permitted subject to standard conditions approved by the delegated Manager and consistent with the management objectives for the reserve, codes of practice, forest practices/operational circulars, protocols, licenses and management/recovery plans:

- » scientific studies (e.g., fauna surveys including trapping)
- » maintenance of existing roads and fire trails
- » maintenance of existing recreation facilities and upgrading where necessary to keep pace with demand while protecting the attributes of the reserve
- » limited tree and or limb removal for safety, viewing or construction of facilities in areas used for recreation
- » pest animal and weed control
- » general access for activities such as bush walking, photography, and nature study
- » beekeeping (existing set-down sites may be used)
- » Aboriginal use of forest products consistent with the maintenance of the conservation attributes to be protected in the reserve
- » fire management will be undertaken in a manner consistent with maintaining the health of forest ecosystems.

The following activities may only be permitted with special conditions:

- » Construction of new roads. Construction will only be permitted in exceptional instances and consistent with the following principles:

Flora Reserve Plan: Madmans Creek Site Specific Working Plan Document ID: D21/14303	Version No.: 2	Page 6 of 20
	Issue date: 6/9/23	Review date: 6/9/33

WARNING: a printed copy of this document may be uncontrolled. Please verify this is the latest version prior to use.

- no practical alternative is available
- the attributes of the Reserve will not be significantly affected by the road or fire trail
- opportunity is provided for public comment on the proposal, obtained through advertising in the local newspaper
- Ministerial approval is given for the proposal.

Mining

The reserve was exempted from the provisions of the Mining Acts by notice in the Government Gazette of 3rd June 1983.

2.3 MANAGEMENT RESPONSIBILITY

The reserve will be administered by Forestry Corporation of NSW's Hardwood Forests Division, with the authority for decision making delegated to the Senior Manager Forest Stewardship or equivalent level manager.

2.4 MONITORING, REPORTING AND REVIEW

The region will monitor changes to the key attributes of the reserve and will review the effectiveness of the management strategies designed to protect those attributes and to achieve the management objectives.

The results of this monitoring, review and management response will be included in annual reporting processes.

The provisions of this working plan will be amended, if necessary, in light of the results of the monitoring program and / or legislative change and with the approval of the Minister administering the *Forestry Act 2012*.


3. LIST OF APPENDICES

- » Appendix 1 – Locality Map
- » Appendix 2 – Topographic and Forest Type Map
- » Appendix 3 – Flora Species List
- » Appendix 4 – Fauna Species List
- » Appendix 5 – Approval and Amendments from previous version

Flora Reserve Plan: Madmans Creek Site Specific Working Plan Document ID: D21/14303	Version No.: 2	Page 7 of 20
Owner: Senior Manager Forest Stewardship	Issue date: 6/9/23	Review date: 6/9/33

WARNING: a printed copy of this document may be uncontrolled. Please verify this is the latest version prior to use.


APPENDIX 1 – LOCALITY MAP



Flora Reserve Plan: Madmans Creek Site Specific Working Plan	Version No.: 2	Page 8 of 20
Document ID: D21/14303	Owner: Senior Manager Forest Stewardship	Issue date: 6/9/23

WARNING: a printed copy of this document may be uncontrolled. Please verify this is the latest version prior to use.

APPENDIX 2 – TOPOGRAPHIC & FOREST TYPE MAP



Flora Reserve Plan: Madmans Creek Site Specific Working Plan	Version No.: 2	Page 9 of 20
Document ID: D21/14303	Owner: Senior Manager Forest Stewardship	Issue date: 6/9/23

WARNING: a printed copy of this document may be uncontrolled. Please verify this is the latest version prior to use.

APPENDIX 3 – FLORA SPECIES LIST

Flora within 5000m of flora reserve, desktop search undertaken August 2021

Scientific name	Scientific name	Scientific name
<i>Acacia binervata</i>	<i>Alchornea ilicifolia</i>	<i>Astrotricha longifolia f.</i> <i>'Coastal'</i>
<i>Acacia complanata</i>	<i>Alectryon subcinereus</i>	<i>Atractocarpus benthamianus</i>
<i>Acacia concurrens</i>	<i>Alectryon subdentatus f.</i> <i>subdentatus</i>	<i>Austrobuxus swainii</i>
<i>Acacia falciformis</i>	<i>Allocasuarina defungens</i>	<i>Austumyrtus dulcis</i>
<i>Acacia fimbriata</i>	<i>Allocasuarina littoralis</i>	<i>Austrosteenisia blackii var.</i> <i>blackii</i>
<i>Acacia hispidula</i>	<i>Allocasuarina torulosa</i>	<i>Austrostipa pubescens</i>
<i>Acacia implexa</i>	<i>Alocasia brisbanensis</i>	<i>Axonopus fissifolius</i>
<i>Acacia irrorata</i>	<i>Alphitonia excelsa</i>	<i>Baccharis halimifolia</i>
<i>Acacia irrorata subsp. <i>irrorata</i></i>	<i>Alpinia arundelliana</i>	<i>Backhousia leptopetala</i>
<i>Acacia irrorata subsp. <i>velutinella</i></i>	<i>Alpinia caerulea</i>	<i>Backhousia myrtifolia</i>
<i>Acacia longissima</i>	<i>Alstonia constricta</i>	<i>Baeckea diosmifolia</i>
<i>Acacia maidenii</i>	<i>Alternanthera denticulata</i>	<i>Baloghia inophylla</i>
<i>Acacia melanoxylon</i>	<i>Alyxia ruscifolia</i>	<i>Baloskion tetraphyllum</i>
<i>Acacia myrtifolia</i>	<i>Amylotheca dictyophleba</i>	<i>Banksia aemula</i>
<i>Acacia oshanesii</i>	<i>Aneilema acuminatum</i>	<i>Banksia oblongifolia</i>
<i>Acacia suaveolens</i>	<i>Anetholea anisata</i>	<i>Banksia serrata</i>
<i>Acacia terminalis</i>	<i>Angophora costata</i>	<i>Banksia spinulosa</i>
<i>Acacia terminalis subsp. <i>longiaxialis</i></i>	<i>Angophora floribunda</i>	<i>Banksia spinulosa var. <i>collina</i></i>
<i>Acacia ulicifolia</i>	<i>Angophora woodsiana</i>	<i>Beilschmiedia elliptica</i>
<i>Acalypha nemorum</i>	<i>Anisopogon avenaceus</i>	<i>Beilschmiedia obtusifolia</i>
<i>Acianthus spp.</i>	<i>Aphananthe philippinensis</i>	<i>Belvisia mucronata</i>
<i>Acmella grandiflora var. <i>brachyglossa</i></i>	<i>Arachniodes aristata</i>	<i>Bidens pilosa</i>
<i>Acmena smithii</i>	<i>Araucaria cunninghamii</i>	<i>Billardiera scandens</i>
<i>Acronychia oblongifolia</i>	<i>Archidendron grandiflorum</i>	<i>Blechnum cartilagineum</i>
<i>Acronychia wilcoxiana</i>	<i>Archirhodomyrtus beckleri</i>	<i>Blechnum neohollandicum</i>
<i>Adiantum aethiopicum</i>	<i>Archontophoenix</i> <i>cunninghamiana</i>	<i>Blechnum patersonii</i>
<i>Adiantum formosum</i>	<i>Argyrodendron actinophyllum</i>	<i>Blechnum spinulosum</i>
<i>Adiantum hispidulum</i>	<i>Argyrodendron trifoliolatum</i>	<i>Blechnum wattsii</i>
<i>Adiantum silvaticum</i>	<i>Aristida vagans</i>	<i>Bolboschoenus fluviatilis</i>
<i>Ageratina adenophora</i>	<i>Arthropteris spp.</i>	<i>Boronia hapalophylla</i>
<i>Ageratina riparia</i>	<i>Arthropteris tenella</i>	<i>Boronia umbellata</i>
<i>Agiortia pleiosperma</i>	<i>Asplenium australasicum</i>	<i>Bossiaea ensata</i>
<i>Akania bidwillii</i>	<i>Asplenium polyodon</i>	<i>Botrychium australe</i>
<i>Alangium villosum subsp. <i>polyosmoides</i></i>	<i>Aster subulatus</i>	<i>Brachychiton populneus</i>
	<i>Asterolasia correifolia</i>	<i>Brachyloma daphnoides</i>
	<i>Astrotricha latifolia</i>	<i>Breynia oblongifolia</i>

Scientific name	Scientific name	Scientific name
<i>Bridelia exaltata</i>	<i>Citrus spp.</i>	<i>Cyperus polystachyos</i>
<i>Brunonia australis</i>	<i>Citrus x taitensis</i>	<i>Cyperus sanguinolentus</i>
<i>Brunoniella australis</i>	<i>Claoxylon australe</i>	<i>Cyperus spp.</i>
<i>Burmannia disticha</i>	<i>Cleistanthus cunninghamii</i>	<i>Cyperus tetraphyllus</i>
<i>Caesia parviflora</i> var. <i>parviflora</i>	<i>Clematicissus opaca</i>	<i>Dampiera stricta</i>
<i>Caladenia carneae</i>	<i>Clematis aristata</i>	<i>Dampiera sylvestris</i>
<i>Calamus muelleri</i>	<i>Clematis glycinoides</i>	<i>Daphnandra apatela</i>
<i>Calanthe triplicata</i>	<i>Clematis pickeringii</i>	<i>Daucus glochidiatus</i>
<i>Caldcluvia paniculosa</i>	<i>Clematis spp.</i>	<i>Davallia solida</i> var. <i>pyxidata</i>
<i>Callicoma serratifolia</i>	<i>Clerodendrum floribundum</i> var. <i>floribundum</i>	<i>Daviesia ulicifolia</i>
<i>Callistemon acuminatus</i>	<i>Clerodendrum tomentosum</i>	<i>Daviesia umbellulata</i>
<i>Callistemon salignus</i>	<i>Comesperma ericinum</i>	<i>Daviesia wyattiana</i>
<i>Callitris monticola</i>	<i>Commelina cyanea</i>	<i>Decaspermum humile</i>
<i>Calochlaena dubia</i>	<i>Conyzza bonariensis</i>	<i>Dendrobium aemulum</i>
<i>Calystegia marginata</i>	<i>Conyzza spp.</i>	<i>Dendrobium gracilicaule</i>
<i>Capillipedium spicigerum</i>	<i>Cordyline petiolaris</i>	<i>Dendrobium tetragonum</i>
<i>Capparis arborea</i>	<i>Cordyline rubra</i>	<i>Dendrocnide photinophylla</i>
<i>Carex appressa</i>	<i>Cordyline stricta</i>	<i>Denhamia bilocularis</i>
<i>Carex brunnea</i>	<i>Corymbia gummiifera</i>	<i>Denhamia celastroides</i>
<i>Carex spp.</i>	<i>Corymbia intermedia</i>	<i>Denhamia silvestris</i>
<i>Cassinia subtropica</i>	<i>Corymbia maculata</i>	<i>Dennstaedtia davallioides</i>
<i>Cassytha filiformis</i>	<i>Corymbia spp.</i>	<i>Derris involuta</i>
<i>Cassytha glabella</i>	<i>Corymbia variegata</i>	<i>Desmodium gunnii</i>
<i>Cassytha pubescens</i>	<i>Crassocephalum crepidioides</i>	<i>Desmodium nemorosum</i>
<i>Cassytha spp.</i>	<i>Croton verreauxii</i>	<i>Desmodium rhytidophyllum</i>
<i>Caustis flexuosa</i>	<i>Cryptocarya erythroxylon</i>	<i>Desmodium varians</i>
<i>Caustis pentandra</i>	<i>Cryptocarya glaucescens</i>	<i>Dianella caerulea</i>
<i>Cayratia clematidea</i>	<i>Cryptocarya microneura</i>	<i>Dianella caerulea</i> var. <i>assera</i>
<i>Celastrus subspicata</i>	<i>Cryptocarya obovata</i>	<i>Dianella caerulea</i> var. <i>caerulea</i>
<i>Cenchrus caliculatus</i>	<i>Cryptocarya rigida</i>	<i>Dianella revoluta</i>
<i>Centella asiatica</i>	<i>Cupaniopsis anacardioides</i>	<i>Dianella spp.</i>
<i>Cephalaria cephalobotrys</i>	<i>Cupaniopsis parvifolia</i>	<i>Dichelachne micrantha</i>
<i>Ceratopetalum apetalum</i>	<i>Cuphea carthagensis</i>	<i>Dichondra repens</i>
<i>Ceratopetalum gummiferum</i>	<i>Cuttsia viburnea</i>	<i>Digitaria parviflora</i>
<i>Cheilanthes sieberi</i>	<i>Cyathea australis</i>	<i>Digitaria ramularis</i>
<i>Cheilanthes sieberi</i> subsp. <i>sieberi</i>	<i>Cyathea leichhardtiana</i>	<i>Digitaria spp.</i>
<i>Chiloglottis spp.</i>	<i>Cyclophyllum longipetalum</i>	<i>Dillwynia floribunda</i>
<i>Chiloglottis sylvestris</i>	<i>Cyclosorus dentatus</i>	<i>Dillwynia retorta</i>
<i>Cinnamomum camphora</i>	<i>Cymbidium madidum</i>	<i>Dioscorea transversa</i>
<i>Cinnamomum virens</i>	<i>Cymbopogon refractus</i>	<i>Diospyros australis</i>
<i>Cirsium vulgare</i>	<i>Cyperus brevifolius</i>	<i>Diospyros fasciculosa</i>
<i>Cissus antarctica</i>	<i>Cyperus disjunctus</i>	<i>Diospyros pentamera</i>
<i>Cissus hypoglauca</i>	<i>Cyperus enervis</i>	<i>Diploglottis australis</i>
	<i>Cyperus imbecillis</i>	<i>Dipodium spp.</i>

Flora Reserve Plan: Madmans Creek Site Specific Working Plan	Version No.: 2	Page 11 of 20
Document ID: D21/14303	Owner: Senior Manager Forest Stewardship	Issue date: 6/9/23

WARNING: a printed copy of this document may be uncontrolled. Please verify this is the latest version prior to use.

Scientific name	Scientific name	Scientific name
<i>Dodonaea triquetra</i>	<i>Eucalyptus propinqua</i>	<i>Goodenia heterophylla</i>
<i>Doodia linearis</i>	<i>Eucalyptus pyrocarpa</i>	<i>Goodenia ovata</i>
<i>Doryphora sassafras</i>	<i>Eucalyptus resinifera</i>	<i>Goodenia rotundifolia</i>
<i>Drosera peltata</i>	<i>Eucalyptus resinifera</i> subsp. <i>hemilampra</i>	<i>Goodenia spp.</i>
<i>Drosera spatulata</i>	<i>Eucalyptus rummeryi</i>	<i>Gossia bidwillii</i>
<i>Drypetes deplanchei</i>	<i>Eucalyptus saligna</i>	<i>Grammitis billardierei</i>
<i>Duboisia myoporoides</i>	<i>Eucalyptus siderophloia</i>	<i>Guioa semiglaucia</i>
<i>Dysoxylum fraserianum</i>	<i>Eucalyptus tereticornis</i>	<i>Gymnostachys anceps</i>
<i>Dysoxylum mollissimum</i> subsp. <i>molle</i>	<i>Eucalyptus tindaliae</i>	<i>Gynochthodes jasminoides</i>
<i>Dysoxylum rufum</i>	<i>Euchiton sphaericus</i>	<i>Hakea dactyloides</i>
<i>Echinopogon caespitosus</i>	<i>Eupomatia bennettii</i>	<i>Hakea florulenta</i>
<i>Echinostephia aculeata</i>	<i>Eupomatia laurina</i>	<i>Hakea laevipes</i> subsp. <i>laevipes</i>
<i>Elaeocarpus obovatus</i>	<i>Euroschinus falcatus</i> var. <i>falcatus</i>	<i>Hakea salicifolia</i>
<i>Elaeocarpus reticulatus</i>	<i>Eustrephus latifolius</i>	<i>Hakea sericea</i>
<i>Elaeodendron australe</i>	<i>Exocarpos strictus</i>	<i>Hardenbergia violacea</i>
<i>Elattostachys nervosa</i>	<i>Ficus coronata</i>	<i>Harpullia pendula</i>
<i>Elattostachys xylocarpa</i>	<i>Flindersia australis</i>	<i>Hedraianthera</i> <i>porphyropetala</i>
<i>Eleocharis minuta</i>	<i>Flindersia schottiana</i>	<i>Hibbertia aspera</i>
<i>Eleocharis sphacelata</i>	<i>Gahnia aspera</i>	<i>Hibbertia dentata</i>
<i>Embelia australiana</i>	<i>Gahnia clarkei</i>	<i>Hibbertia empetrifolia</i> subsp. <i>empetrifolia</i>
<i>Emmenosperma</i> <i>alphitonioides</i>	<i>Gahnia sieberiana</i>	<i>Hibbertia obtusifolia</i>
<i>Endiandra discolor</i>	<i>Gahnia spp.</i>	<i>Hibbertia scandens</i>
<i>Endiandra muelleri</i>	<i>Galium propinquum</i>	<i>Hibbertia vestita</i>
<i>Endiandra muelleri</i> subsp. <i>muelleri</i>	<i>Geissois benthamiana</i>	<i>Hibiscus diversifolius</i>
<i>Endiandra sieberi</i>	<i>Geitonoplesium cymosum</i>	<i>Hibiscus heterophyllus</i> subsp. <i>heterophyllus</i>
<i>Endiandra virens</i>	<i>Geranium homeanum</i>	<i>Hibiscus splendens</i>
<i>Entolasia marginata</i>	<i>Gleichenia dicarpa</i>	<i>Hodgkinsonia ovatiflora</i>
<i>Entolasia stricta</i>	<i>Glochidion ferdinandi</i>	<i>Homalanthus populifolius</i>
<i>Entolasia whiteana</i>	<i>Glycine clandestina</i>	<i>Hovea heterophylla</i>
<i>Epacris microphylla</i>	<i>Glycine microphylla</i>	<i>Hovea linearis</i>
<i>Epacris pulchella</i>	<i>Glycine tabacina</i>	<i>Hybanthus monopetalus</i>
<i>Eragrostis leptostachya</i>	<i>Gmelina leichhardtii</i>	<i>Hybanthus spp.</i>
<i>Eragrostis spp.</i>	<i>Gomphocarpus fruticosus</i>	<i>Hybanthus stellarioides</i>
<i>Erechtites valerianifolia</i>	<i>Gomphocarpus spp.</i>	<i>Hybanthus vernonii</i>
<i>Eucalyptus acmenoides</i>	<i>Gompholobium latifolium</i>	<i>Hybanthus vernonii</i> subsp. <i>scaber</i>
<i>Eucalyptus carnea</i>	<i>Gompholobium pinnatum</i>	<i>Hydrocotyle laxiflora</i>
<i>Eucalyptus fibrosa</i>	<i>Gompholobium spp.</i>	<i>Hydrocotyle sibthorpioides</i>
<i>Eucalyptus grandis</i>	<i>Gonocarpus spp.</i>	<i>Hymenosporum flavum</i>
<i>Eucalyptus microcorys</i>	<i>Gonocarpus teucrioides</i>	<i>Hypochaeris radicata</i>
<i>Eucalyptus notabilis</i>	<i>Goodenia hederacea</i>	<i>Hypolepis glandulifera</i>
<i>Eucalyptus pilularis</i>		<i>Hypolepis muelleri</i>
<i>Eucalyptus planchoniana</i>		

Scientific name	Scientific name	Scientific name
<i>Imperata cylindrica</i>	<i>Logania albiflora</i>	<i>Myrsine variabilis</i>
<i>Indigofera australis</i>	<i>Lomandra confertifolia</i>	<i>Neolitsea dealbata</i>
<i>Jacksonia scoparia</i>	<i>Lomandra confertifolia subsp. pallida</i>	<i>Niemeyera whitei</i>
<i>Jagera pseudorhus var. pseudorhus</i>	<i>Lomandra filiformis</i>	<i>Notelaea longifolia</i>
<i>Juncus mollis</i>	<i>Lomandra filiformis subsp. coriacea</i>	<i>Notelaea longifolia f. intermedia</i>
<i>Juncus spp.</i>	<i>Lomandra filiformis subsp. filiformis</i>	<i>Notelaea ovata</i>
<i>Kennedia rubicunda</i>	<i>Lomandra glauca</i>	<i>Notelaea venosa</i>
<i>Lambertia formosa</i>	<i>Lomandra hystrix</i>	<i>Notothixos subaureus</i>
<i>Lantana camara</i>	<i>Lomandra longifolia</i>	<i>Nymphaea caerulea subsp. zanzibarensis</i>
<i>Lasiopetalum ferrugineum var. ferrugineum</i>	<i>Lomandra multiflora subsp. multiflora</i>	<i>Nymphoides indica</i>
<i>Lastreopsis acuminata</i>	<i>Lomandra obliqua</i>	<i>Olea paniculata</i>
<i>Lastreopsis decomposita</i>	<i>Lomandra spicata</i>	<i>Olearia nernstii</i>
<i>Lastreopsis microsora subsp. microsora</i>	<i>Lomandra spp.</i>	<i>Olearia stilwelliae</i>
<i>Lastreopsis munita</i>	<i>Lomatia silaifolia</i>	<i>Oplismenus aemulus</i>
<i>Lastreopsis spp.</i>	<i>Lonicera japonica</i>	<i>Oplismenus imbecillis</i>
<i>Laxmannia gracilis</i>	<i>Lophostemon confertus</i>	<i>Orchidaceae indeterminate</i>
<i>Legnephora moorei</i>	<i>Lophostemon suaveolens</i>	<i>Ottochloa gracillima</i>
<i>Lepidosperma laterale</i>	<i>Lycopodiella lateralis</i>	<i>Oxalis exilis</i>
<i>Lepidosperma limicola</i>	<i>Lycopodium deuterodensum</i>	<i>Oxalis perennans</i>
<i>Leptomeria acida</i>	<i>Maclura cochinchinensis</i>	<i>Oxalis radicosa</i>
<i>Leptomeria drupacea</i>	<i>Macrozamia fawcettii</i>	<i>Oxalis spp.</i>
<i>Leptospermum petersonii</i>	<i>Mallotus philippensis</i>	<i>Oxytes brachypoda</i>
<i>Leptospermum polygalifolium</i>	<i>Marsdenia flavescens</i>	<i>Ozothamnus diosmifolius</i>
<i>Leptospermum polygalifolium subsp. cismontanum</i>	<i>Marsdenia hemiptera</i>	<i>Palmeria scandens</i>
<i>Leptospermum trinervium</i>	<i>Marsdenia liasae</i>	<i>Pandorea pandorana</i>
<i>Leptospermum whitei</i>	<i>Marsdenia lloydii</i>	<i>Panicum bisulcatum</i>
<i>Lepyrodia scariosa</i>	<i>Marsdenia pleiadenia</i>	<i>Panicum obseptum</i>
<i>Leucopogon juniperinus</i>	<i>Marsdenia rostrata</i>	<i>Panicum pygmaeum</i>
<i>Leucopogon lanceolatus</i>	<i>Melaleuca linariifolia</i>	<i>Panicum simile</i>
<i>Leucopogon lanceolatus var. gracilis</i>	<i>Melaleuca quinquenervia</i>	<i>Parson sia brownii</i>
<i>Leucopogon lanceolatus var. lanceolatus</i>	<i>Melia azedarach</i>	<i>Parson sia dorri goensis</i>
<i>Leucopogon margarodes</i>	<i>Melichrus procumbens</i>	<i>Parson sia fulva</i>
<i>Lindsaea linearis</i>	<i>Melodinus australis</i>	<i>Parson sia rotata</i>
<i>Lindsaea microphylla</i>	<i>Microlaena stipoides</i>	<i>Parson sia straminea</i>
<i>Linospadix monostachyos</i>	<i>Microlaena stipoides var. stipoides</i>	<i>Paspalidium distans</i>
<i>Litsea australis</i>	<i>Mirbelia rubrifolia</i>	<i>Paspalum mandiocanum</i>
<i>Litsea reticulata</i>	<i>Mischocarpus pyriformis</i>	<i>Passiflora edulis</i>
<i>Livistona australis</i>	<i>Monoto ca elliptica</i>	<i>Passiflora herbertiana</i>
<i>Lobelia purpurascens</i>	<i>Monoto ca scoparia</i>	<i>Passiflora subpeltata</i>
<i>Lobelia trigonocaulis</i>	<i>Myriophyllum spp.</i>	<i>Patersonia glabrata</i>
	<i>Myrsine howittiana</i>	<i>Patersonia sericea</i>
		<i>Pellaea falcata</i>
		<i>Pellaea nana</i>

Scientific name	Scientific name	Scientific name
<i>Pellaea paradoxa</i>	<i>Polyosma cunninghamii</i>	<i>Ripogonum discolor</i>
<i>Pennantia cunninghamii</i>	<i>Polyscias elegans</i>	<i>Ripogonum elseyanum</i>
<i>Persicaria decipiens</i>	<i>Polyscias sambucifolia</i>	<i>Ripogonum fawcettianum</i>
<i>Persicaria hydropiper</i>	<i>Polyscias sambucifolia</i> subsp. <i>sambucifolia</i>	<i>Rubus laudatus</i>
<i>Persicaria strigosa</i>	<i>Pomax umbellata</i>	<i>Rubus moluccanus</i>
<i>Persoonia cornifolia</i>	<i>Poranthera microphylla</i>	<i>Rubus moluccanus</i> var. <i>trilobus</i>
<i>Persoonia lanceolata</i>	<i>Pothos longipes</i>	<i>Rubus nebulosus</i>
<i>Persoonia levis</i>	<i>Prostanthera incisa</i>	<i>Rubus parvifolius</i>
<i>Persoonia media</i>	<i>Prostanthera ovalifolia</i>	<i>Rubus rosifolius</i>
<i>Persoonia stradbrokeensis</i>	<i>Pseudanthus orientalis</i>	<i>Rubus rosifolius</i> var. <i>rosifolius</i>
<i>Persoonia tenuifolia</i>	<i>Pseudanthus pauciflorus</i> subsp. <i>pauciflorus</i>	<i>Sacciolepis indica</i>
<i>Petalostigma triloculare</i>	<i>Pseuderanthemum variabile</i>	<i>Santalum obtusifolium</i>
<i>Petermannia cirrosa</i>	<i>Psidium guajava</i>	<i>Sarcochilus falcatus</i>
<i>Petrophile canescens</i>	<i>Psychotria loniceroidea</i>	<i>Sarcopetalum harveyanum</i>
<i>Philydrum lanuginosum</i>	<i>Psydrax lamprophylla</i> f. <i>lamprophylla</i>	<i>Sarcopteryx stipata</i>
<i>Phyllanthus gunnii</i>	<i>Pteridium esculentum</i>	<i>Scaevola ramosissima</i>
<i>Phyllanthus hirtellus</i>	<i>Pteris tremula</i>	<i>Schizaea bifida</i>
<i>Phyllanthus similis</i>	<i>Pterostylis spp.</i>	<i>Schizomeria ovata</i>
<i>Physalis minima</i>	<i>Ptilothrix deusta</i>	<i>Schoenoplectus mucronatus</i>
<i>Pimelea altior</i>	<i>Pultenaea euchila</i>	<i>Schoenus melanostachys</i>
<i>Pimelea latifolia</i>	<i>Pultenaea flexilis</i>	<i>Scleria mackaviensis</i>
<i>Pimelea latifolia</i> subsp. <i>elliptifolia</i>	<i>Pultenaea petiolaris</i>	<i>Scolopia braunii</i>
<i>Pimelea linifolia</i>	<i>Pultenaea retusa</i>	<i>Senna septemtrionalis</i>
<i>Pimelea spp.</i>	<i>Pultenaea robusta</i>	<i>Seringia arborescens</i>
<i>Pinus spp.</i>	<i>Pultenaea rostrata</i>	<i>Sida rhombifolia</i>
<i>Piper hederaceum</i> var. <i>hederaceum</i>	<i>Pultenaea spinosa</i>	<i>Sigesbeckia orientalis</i> subsp. <i>orientalis</i>
<i>Pittosporum multiflorum</i>	<i>Pultenaea spp.</i>	<i>Sloanea australis</i>
<i>Pittosporum revolutum</i>	<i>Pultenaea villosa</i>	<i>Sloanea woollsii</i>
<i>Pittosporum undulatum</i>	<i>Pyrrosia confluens</i> var. <i>confluens</i>	<i>Smilax australis</i>
<i>Planchonella australis</i>	<i>Pyrrosia rupestris</i>	<i>Smilax glyciphylla</i>
<i>Platycerium bifurcatum</i>	<i>Quassia</i> sp. <i>Moonee Creek</i>	<i>Solanum americanum</i>
<i>Platycerium superbum</i>	<i>Quintinia verdonii</i>	<i>Solanum densevestitum</i>
<i>Platysace ericoides</i>	<i>Ranunculus inundatus</i>	<i>Solanum hapalum</i>
<i>Plectorrhiza tridentata</i>	<i>Ranunculus spp.</i>	<i>Solanum mauritianum</i>
<i>Plectranthus parviflorus</i>	<i>Rhinorrhiza divitiflora</i>	<i>Solanum pseudocapsicum</i>
<i>Poa labillardierei</i> var. <i>labillardierei</i>	<i>Rhodamnia rubescens</i>	<i>Sparganium subglobosum</i>
<i>Poa queenslandica</i>	<i>Rhodomyrtus psidioides</i>	<i>Sporobolus elongatus</i>
<i>Poa sieberiana</i>	<i>Rhodosphaera rhodanthema</i>	<i>Sporobolus fertilis</i>
<i>Poa sieberiana</i> var. <i>sieberiana</i>	<i>Richardia brasiliensis</i>	<i>Sporobolus laxus</i>
<i>Podolobium ilicifolium</i>	<i>Ricinocarpus pinifolius</i>	<i>Sprengelia incarnata</i>
<i>Pollia crispata</i>	<i>Ripogonum album</i>	<i>Stenocarpus sinuatus</i>
<i>Polymeria calycina</i>		<i>Stephania japonica</i>
		<i>Stephania japonica</i> var.

Flora Reserve Plan: Madmans Creek Site Specific Working Plan Document ID: D21/14303	Version No.: 2 Issue date: 6/9/23	Page 14 of 20 Review date: 6/9/33
--	--------------------------------------	--------------------------------------

WARNING: a printed copy of this document may be uncontrolled. Please verify this is the latest version prior to use.

Scientific name	Scientific name	Scientific name
<i>discolor</i>	<i>Tricoryne anceps</i> subsp. <i>pterocaulon</i>	<i>Vernonia cinerea</i> var. <i>cinerea</i>
<i>Sticherus lobatus</i>	<i>Tricoryne elatior</i>	<i>Veronica plebeia</i>
<i>Styphelia viridis</i>	<i>Trimenia moorei</i>	<i>Viola banksii</i>
<i>Symplocos thwaitesii</i>	<i>Tripladenia cunninghamii</i>	<i>Viola hederacea</i>
<i>Syncarpia glomulifera</i>	<i>Tristaniopsis collina</i>	<i>Westringia amabilis</i>
<i>Synoum glandulosum</i> subsp. <i>glandulosum</i>	<i>Tristaniopsis laurina</i>	<i>Wilkiea huegeliana</i>
<i>Syzygium australe</i>	<i>Triunia youngiana</i>	<i>Xanthorrhoea johnsonii</i>
<i>Syzygium crebrinerve</i>	<i>Trochocarpa laurina</i>	<i>Xanthorrhoea latifolia</i>
<i>Syzygium francisii</i>	<i>Trophis scandens</i>	<i>Xanthorrhoea latifolia</i> subsp. <i>latifolia</i>
<i>Syzygium oleosum</i>	<i>Trophis scandens</i> subsp. <i>scandens</i>	<i>Xanthorrhoea macronema</i>
<i>Tabernaemontana</i> <i>pandacaqui</i>	<i>Tylophora paniculata</i>	<i>Xanthorrhoea malacophylla</i>
<i>Tasmannia insipida</i>	<i>Typha orientalis</i>	<i>Xanthorrhoea</i> spp.
<i>Tetrastigma nitens</i>	<i>Typhonium</i> sp. aff. <i>brownii</i>	<i>Xylomelum pyriforme</i>
<i>Tetratheca thymifolia</i>	<i>Utricularia lateriflora</i>	<i>Xyris operculata</i>
<i>Themeda triandra</i>	<i>Uvaria leichhardtii</i>	<i>Zieria minutiflora</i> subsp. <i>minutiflora</i>
<i>Thysanotus tuberosus</i>	<i>Velleia paradoxa</i>	<i>Zieria smithii</i>
<i>Toona ciliata</i>	<i>Verbena bonariensis</i>	
<i>Trema tomentosa</i> var. <i>aspera</i>	<i>Vernonia cinerea</i>	

APPENDIX 4 – FAUNA SPECIES LIST

Fauna within 5000m of flora reserve, desktop search undertaken August 2021

Amphibians	
Scientific name	Common name
<i>Litoria dentata</i>	Bleating Tree Frog
<i>Litoria latopalmata</i>	Broad-palmed Frog
<i>Limnodynastes peronii</i>	Brown-striped Frog
<i>Crinia signifera</i>	Common Eastern Froglet
<i>Uperoleia fusca</i>	Dusky Toadlet
<i>Litoria fallax</i>	Eastern

Amphibians	
Scientific name	Common name
	Dwarf Tree Frog
<i>Crinia parinsignifera</i>	Eastern Sign-bearing Froglet
<i>Mixophyes iteratus</i>	Giant Barred Frog
<i>Mixophyes fasciolatus</i>	Great Barred Frog
<i>Litoria lesueuri</i>	Lesueur's Frog
<i>Litoria peronii</i>	Peron's Tree

Amphibians	
Scientific name	Common name
	Frog
<i>Pseudophryne coriacea</i>	Red-backed Toadlet
<i>Litoria revelata</i>	Revealed Frog
<i>Adelotus brevis</i>	Tusked Frog
<i>Litoria tyleri</i>	Tyler's Tree Frog

Birds	
Scientific name	Common name
<i>Sphecotheres vieilloti</i>	Australasian Figbird
<i>Morus serrator</i>	Australasian Gannet
<i>Tachybaptus novaehollandiae</i>	Australasian Grebe
<i>Alectura lathami</i>	Australian Brush-turkey
<i>Alisterus scapularis</i>	Australian King-Parrot
<i>Gymnorhina tibicen</i>	Australian Magpie
<i>Aegotheles cristatus</i>	Australian Owlet-nightjar
<i>Anthus novaeseelandiae</i>	Australian Pipit
<i>Corvus coronoides</i>	Australian Raven
<i>Acrocephalus australis</i>	Australian Reed-Warbler
<i>Chenonetta jubata</i>	Australian Wood Duck
<i>Ceyx azureus</i>	Azure Kingfisher
<i>Geopelia humeralis</i>	Bar-shouldered

Birds	
Scientific name	Common name
	Dove
<i>Zoothera lunulata</i>	Bassian Thrush
<i>Coracina novaehollandiae</i>	Black-faced Cuckoo-shrike
<i>Monarcha melanopsis</i>	Black-faced Monarch
<i>Ephippiorhynchus asiaticus</i>	Black-necked Stork
<i>Elanus axillaris</i>	Black-shouldered Kite
<i>Entomyzon cyanotis</i>	Blue-faced Honeyeater
<i>Grus rubicunda</i>	Brolga
<i>Macropygia phasianella</i>	Brown Cuckoo-Dove
<i>Gerygone mouki</i>	Brown Gerygone
<i>Acanthiza pusilla</i>	Brown Thornbill
<i>Cacomantis variolosus</i>	Brush Cuckoo
<i>Hypotaenidia philippensis</i>	Buff-banded Rail
<i>Acanthiza</i>	Buff-rumped

Birds	
Scientific name	Common name
<i>reguloides</i>	Thornbill
<i>Bubulcus ibis</i>	Cattle Egret
<i>Scythrops novaehollandiae</i>	Channel-billed Cuckoo
<i>Edolisoma tenuirostris</i>	Cicadabird
<i>Ocyphaps lophotes</i>	Crested Pigeon
<i>Thalasseus bergii</i>	Crested Tern
<i>Eurystomus orientalis</i>	Dollarbird
<i>Gallinula tenebrosa</i>	Dusky Moorhen
<i>Tyto javanica</i>	Eastern Barn Owl
<i>Eudynamys orientalis</i>	Eastern Koel
<i>Platycercus eximius</i>	Eastern Rosella
<i>Acanthorhynchus tenuirostris</i>	Eastern Spinebill
<i>Psophodes olivaceus</i>	Eastern Whipbird
<i>Eopsaltria australis</i>	Eastern Yellow Robin
<i>Chalcophaps indica</i>	Emerald Dove

Birds	
Scientific name	Common name
<i>Cacomantis flabelliformis</i>	Fan-tailed Cuckoo
<i>Todiramphus macleayii</i>	Forest Kingfisher
<i>Ptilotula fusca</i>	Fuscous Honeyeater
<i>Eolophus roseicapilla</i>	Galah
<i>Calyptorhynchus lathami</i>	Glossy Black-Cockatoo
<i>Pachycephala pectoralis</i>	Golden Whistler
<i>Cisticola exilis</i>	Golden-headed Cisticola
<i>Ailuroedus crassirostris</i>	Green Catbird
<i>Cracticus torquatus</i>	Grey Butcherbird
<i>Rhipidura albiscapa</i>	Grey Fantail
<i>Accipiter novaehollandiae</i>	Grey Goshawk
<i>Colluricincla harmonica</i>	Grey Shrike-thrush
<i>Sericornis magnirostra</i>	Large-billed Scrubwren
<i>Dacelo novaeguineae</i>	Laughing Kookaburra
<i>Myiagra rubecula</i>	Leaden Flycatcher
<i>Meliphaga lewinii</i>	Lewin's Honeyeater
<i>Phalacrocorax sulcirostris</i>	Little Black Cormorant
<i>Glossopsitta pusilla</i>	Little Lorikeet
<i>Microcarbo melanoleucus</i>	Little Pied Cormorant
<i>Colluricincla megarhyncha</i>	Little Shrike-thrush
<i>Anthochaera chrysoptera</i>	Little Wattlebird
<i>Ornithyx temminckii</i>	Logrunner
<i>Grallina cyanoleuca</i>	Magpie-lark
<i>Vanellus miles</i>	Masked Lapwing
<i>Dicaeum hirundinaceum</i>	Mistletoebird
<i>Glossopsitta</i>	Musk

Birds	
Scientific name	Common name
<i>concinna</i>	Lorikeet
<i>Falco cenchroides cenchroides</i>	Nankeen Kestrel
<i>Philemon corniculatus</i>	Noisy Friarbird
<i>Manorina melanocephala</i>	Noisy Miner
<i>Pitta versicolor</i>	Noisy Pitta
<i>Oriolus sagittatus</i>	Olive-backed Oriole
<i>Anas superciliosa</i>	Pacific Black Duck
<i>Turnix varius</i>	Painted Button-quail
<i>Tregellasia capito</i>	Pale-yellow Robin
<i>Geopelia striata</i>	Peaceful Dove
<i>Falco peregrinus</i>	Peregrine Falcon
<i>Centropus phasianinus</i>	Pheasant Coucal
<i>Cracticus nigrogularis</i>	Pied Butcherbird
<i>Strepera graculina</i>	Pied Currawong
<i>Ninox strenua</i>	Powerful Owl
<i>Porphyrio porphyrio</i>	Purple Swamphen
<i>Trichoglossus haematodus</i>	Rainbow Lorikeet
<i>Anthochaera carunculata</i>	Red Wattlebird
<i>Malurus melanocephalus</i>	Red-backed Fairy-wren
<i>Neochmia temporalis</i>	Red-browed Finch
<i>Climacteris erythrops</i>	Red-browed Treecreeper
<i>Sericulus chrysocephalus</i>	Regent Bowerbird
<i>Anthochaera phrygia</i>	Regent Honeyeater
<i>Columba livia</i>	Rock Dove
<i>Petroica rosea</i>	Rose Robin
<i>Platalea regia</i>	Royal Spoonbill
<i>Rhipidura rufifrons</i>	Rufous Fantail
<i>Pachycephala rufiventris</i>	Rufous Whistler

Birds	
Scientific name	Common name
<i>Zoothera heinei</i>	Russet-tailed Thrush
<i>Todiramphus sanctus</i>	Sacred Kingfisher
<i>Ptilonorhynchus violaceus</i>	Satin Bowerbird
<i>Trichoglossus chlorolepidotus</i>	Scaly-breasted Lorikeet
<i>Myzomela sanguinolenta</i>	Scarlet Honeyeater
<i>Chalcites lucidus</i>	Shining Bronze-Cuckoo
<i>Ardenna tenuirostris</i>	Short-tailed Shearwater
<i>Chroicocephalus novaehollandiae</i>	Silver Gull
<i>Zosterops lateralis</i>	Silveryeye
<i>Tyto tenebricosa</i>	Sooty Owl
<i>Ninox novaeseelandiae</i>	Southern Boobook
<i>Dicrurus bracteatus</i>	Spangled Drongo
<i>Sympisiachrus trivirgatus</i>	Spectacled Monarch
<i>Pardalotus punctatus</i>	Spotted Pardalote
<i>Lophoictinia isura</i>	Square-tailed Kite
<i>Pardalotus striatus</i>	Striated Pardalote
<i>Acanthiza lineata</i>	Striated Thornbill
<i>Malurus cyaneus</i>	Superb Fairy-wren
<i>Menura novaehollandiae</i>	Superb Lyrebird
<i>Podargus strigoides</i>	Tawny Frogmouth
<i>Cincloramphus timoriensis</i>	Tawny Grassbird
<i>Lopholaimus antarcticus</i>	Topknot Pigeon
<i>Corvus orru</i>	Torresian Crow
<i>Cracticus sp.</i>	Unidentified Butcherbird
<i>Coturnix sp.</i>	Unidentified Quail
<i>Anthochaera sp.</i>	Unidentified

Birds	
Scientific name	Common name
	Wattlebird
<i>Lalage leucomela</i>	Varied Triller
<i>Malurus lamberti</i>	Variegated Fairy-wren
<i>Hirundo neoxena</i>	Welcome Swallow
<i>Haliastur sphenurus</i>	Whistling Kite
<i>Coracina papuensis</i>	White-bellied Cuckoo-shrike
<i>Haliaeetus leucogaster</i>	White-bellied Sea-Eagle
<i>Sericornis frontalis</i>	White-browed Scrubwren
<i>Phylidonyris niger</i>	White-cheeked

Birds	
Scientific name	Common name
	Honeyeater
<i>Egretta novaehollandiae</i>	White-faced Heron
<i>Columba leucomela</i>	White-headed Pigeon
<i>Melithreptus lunatus</i>	White-naped Honeyeater
<i>Ardea pacifica</i>	White-necked Heron
<i>Hirundapus caudacutus</i>	White-throated Needletail
<i>Eurostopodus mystacalis</i>	White-throated Nightjar
<i>Cormobates</i>	White-

Birds	
Scientific name	Common name
<i>leucophaea</i>	throated Treecreeper
<i>Rhipidura leucophrys</i>	Willie Wagtail
<i>Ptilinopus magnificus</i>	Wompoo Fruit-Dove
<i>Leucosarcia melanoleuca</i>	Wonga Pigeon
<i>Caligavis chrysops</i>	Yellow-faced Honeyeater
<i>Zanda funereus</i>	Yellow-tailed Black-Cockatoo

Mammals	
Scientific name	Common name
<i>Pteropus alecto</i>	Black Flying-fox
<i>Rattus rattus</i>	Black Rat
<i>Antechinus stuartii</i>	Brown Antechinus
<i>Trichosurus sp.</i>	brushtail possum
<i>Phascogale tapoatafa</i>	Brush-tailed Phascogale
<i>Rattus fuscipes</i>	Bush Rat
<i>Trichosurus vulpecula</i>	Common Brushtail Possum
<i>Pseudochirus peregrinus</i>	Common Ringtail Possum
<i>Osphranter robustus</i>	Common Wallaroo
<i>Canis lupus</i>	Dingo, domestic dog
<i>Scotorepens orion</i>	Eastern Broad-nosed Bat
<i>Falsistrellus tasmaniensis</i>	Eastern False Pipistrelle
<i>Vespadelus pumilus</i>	Eastern Forest Bat

Mammals	
Scientific name	Common name
<i>Ozimops ridei</i>	Eastern Free-tailed Bat
<i>Macropus giganteus</i>	Eastern Grey Kangaroo
<i>Rhinolophus megaphyllus</i>	Eastern Horseshoe-bat
<i>Acrobates pygmaeus</i>	Feathertail Glider
<i>Vulpes vulpes</i>	Fox
<i>Nyctophilus gouldi</i>	Gould's Long-eared Bat
<i>Chalinolobus gouldii</i>	Gould's Wattled Bat
<i>Petauroides volans</i>	Greater Glider
<i>Pteropus poliocephalus</i>	Grey-headed Flying-fox
<i>Chalinolobus nigrogriseus</i>	Hoary Wattled Bat
<i>Macropus sp.</i>	kangaroo / wallaby
<i>Phascolarctos cinereus</i>	Koala
<i>Miniopterus</i>	Little Bent-

Mammals	
Scientific name	Common name
<i>australis</i>	winged Bat
<i>Pteropus scapulatus</i>	Little Red Flying-fox
<i>Perameles nasuta</i>	Long-nosed Bandicoot
<i>Isoodon macrourus</i>	Northern Brown Bandicoot
<i>Ornithorhynchus anatinus</i>	Platypus
<i>Oryctolagus cuniculus</i>	Rabbit
<i>Rattus sp.</i>	rat
<i>Thylogale thetis</i>	Red-necked Pademelon
<i>Notamacropus rufogriseus</i>	Red-necked Wallaby
<i>Tachyglossus aculeatus</i>	Short-beaked Echidna
<i>Petaurus norfolkensis</i>	Squirrel Glider
<i>Petaurus breviceps</i>	Sugar Glider
<i>Wallabia bicolor</i>	Swamp Wallaby
<i>Scotorepens sp.</i>	Unidentified broad-nosed bat

Mammals	
Scientific name	Common name
<i>Mormopterus norfolkensis/sp 1</i>	Unidentified Mastiff-bat
<i>Muridae sp.</i>	unidentified murid rodent

Mammals	
Scientific name	Common name
<i>Notamacropus parryi</i>	Whiptail Wallaby
<i>Petaurus australis</i>	Yellow-bellied Glider

Mammals	
Scientific name	Common name
<i>Microchiroptera suborder</i>	Unidentified Microbat

Reptiles	
Scientific name	Common name
<i>Vermicella annulata</i>	Bandy-bandy
<i>Pogona barbata</i>	Bearded Dragon
<i>Boiga irregularis</i>	Brown Tree Snake
<i>Acanthophis antarcticus</i>	Common Death Adder
<i>Dendrelaphis punctulatus</i>	Common Tree Snake
<i>Concinnia martini</i>	Dark Barsided Skink
<i>Lampropholis delicata</i>	Dark-flecked Garden Sunskink
<i>Tiliqua scincoides</i>	Eastern Blue-tongue
<i>Pseudonaja textilis</i>	Eastern Brown Snake

Reptiles	
Scientific name	Common name
<i>Cryptophis nigrescens</i>	Eastern Small-eyed Snake
<i>Intellagama lesueurii</i>	Eastern Water Dragon
<i>Eulamprus quoyii</i>	Eastern Water-skink
<i>Varanus varius</i>	Lace Monitor
<i>Bellatorias major</i>	Land Mullet
<i>Silvascincus murrayi</i>	Murray's Skink
<i>Cyclodomorphus gerrardii</i>	Pink-tongued Lizard
<i>Pseudechis porphyriacus</i>	Red-bellied Black Snake
<i>Furina diadema</i>	Red-naped Snake
<i>Calyptotis</i>	Red-tailed

Reptiles	
Scientific name	Common name
<i>ruficauda</i>	Calyptotis
<i>Calyptotis scutirostrum</i>	Scute-snouted Calyptotis
<i>Ophioscincus truncatus</i>	Short-limbed Snake-skink
<i>Cacophis krefftii</i>	Southern Dwarf Crowned Snake
<i>Anomalopus verreauxii</i>	Three-clawed Worm-skink
<i>Saiphos equalis</i>	Three-toed Skink
<i>Demansia psammophis</i>	Yellow-faced Whip Snake

APPENDIX 5 – APPROVAL AND AMENDMENTS FROM PREVIOUS VERSION

In line with section 25 of the *Forestry Act 2012*, flora reserve working plans and any amendments must be approved by the Minister.

This plan was approved by The Hon. Tara Moriarty MLC, Minister for Agriculture, Minister for Regional New South Wales and Minister for Western New South Wales

Date of approval: 6/9/23

Version	Changes	Approval details
1.0	<ul style="list-style-type: none">» First version of the Paperbark Flora Reserve Working Plan	<ul style="list-style-type: none">» The Hon. Tara Moriarty MLC, Minister for Agriculture, Minister for Regional New South Wales and Minister for Western New South Wales, 6/9/23

Flora Reserve Plan: Madmans Creek Site Specific Working Plan Document ID: D21/14303	Version No.: 2	Page 20 of 20
Owner: Senior Manager Forest Stewardship	Issue date: 6/9/23	Review date: 6/9/33

WARNING: a printed copy of this document may be uncontrolled. Please verify this is the latest version prior to use.